

SOURCES OF INFORMATION

(Tobacco Product Regulation)

March 2010

- 1) Abdallah F (2003), "What Flavors! Answers to the most frequently asked questions about flavourings," *Tobacco Reporter*, October: 52-56.
- 2) Abdallah F. Cigarette product development: blending and processing know-how sensory testing of cigarette smoke. 2003, *Tobacco Reporter*, Raleigh, NC.
- 3) Alpert HR, Koh H, Connolly GN (2008), "Free nicotine content and strategic marketing of moist snuff tobacco products in the United States: 2000-2006," *Tobacco Control*, October 17(5): 332-8.
- 4) American Medical Association House of Delegates (2007). Prevention of underage drinking: a call to stop alcoholic beverages with special appeal to youths. Available at: <http://www.ama-assn.org/ama1/pub/upload/mm/467/435.doc>
- 5) American Psychiatric Association. Diagnostic and statistical manual of mental disorders. 1994 (Fourth ed.). Washington, D.C.: American Psychiatric Association.
- 6) Amos A, Haglund M (2000), "From social taboo to 'torch of freedom': the marketing of cigarettes to women," *Tobacco Control*, 9: 3-8.
- 7) Baker F, Ainsworth SR, Dye JT, Crammer C, Thun MJ, Hoffmann D, Repace JL, Henningfield JE, Slade J, Pinney J, Shanks T, Connolly GN, Shopland DR (2000), "Health risks associated with cigar smoking," *Journal of the American Association*, 284: 735-740.
- 8) Balster RL, Bigelow GE (2003), "Guidelines and methodological reviews concerning drug abuse liability assessment," *Drug and Alcohol Dependence*, 70: S13-S40.
- 9) Benowitz NL, Henningfield JE (1994), "Establishing a nicotine threshold for addiction," *New England Journal of Medicine*, 331 (2): 123-125.
- 10) Borland R, Davey C. (2004) "Impact of smoke-free bans and restrictions," In P .Boyle, N. Gray, J E Henningfield J.E., J. Seffrin, & W. Zatonski (Eds.), *Tobacco and public health: science and policy* (pp. 707-732). Oxford, UK: Oxford University Press.
- 11) Boyd TC, Boyd C J, Greenlee TB (2003), "A means to an end: slim hopes and cigarette advertising," *Health Promotion and Practice*, 4: 266-277.

- 12) Brauer LH, Behm FM, Lane JD, Westman EC, Perkins C, Rose JE. (2001), "Individual differences in smoking reward from de-nicotinized cigarettes," *Nicotine & Tobacco Research*, 3(2):101-9.
- 13) Britton J, Edwards R (2007) Tobacco Smoking, Harm Reduction, and nicotine product regulation, *The Lancet*, 371(9610) :441-445
- 14) Burns D, Benowitz NL (2001), "Public health implications of changes in cigarette design and marketing." *Smoking and Tobacco Control Monograph*. 13.
- 15) Butler SF, Benoit C, Budman SH, Fernandez KC, McCormick C, Venuti SW, Katz N (2006), " Development and validation of an Opioid Attractiveness Scale: a novel measure of the attractiveness of opioid products to potential abusers," *Harm Reduction Journal*. 3:5.
- 16) Carpenter CM, Ferris Wayne G, Connolly GN (2005a), "Designing cigarettes for women: new findings from the tobacco industry documents," *Addiction*, 100(6): 837-51.
- 17) Carpenter CM, Ferris Wayne G, Connolly GN (2007), "The role of sensory perception in the development and targeting of tobacco products," *Addiction*, 102: 136-147.
- 18) Carpenter CM, Ferris Wayne G, Connolly GN, Pauly J, Koh H (2005b), "New cigarette brands with flavors that appeal to youth," *Health Affairs*, 24(6): 1601-10.
- 19) Clayton RR, Merikangas KR, Abrams DB (Eds.) (2000), "Tobacco, nicotine and youth," *Drug and Alcohol Dependence*, 59(Suppl. 1): S1-S95.
- 20) Connolly GN (1995), "The marketing of nicotine addiction by one oral snuff manufacturer," *Tobacco Control*, 4 (1): 73-79.
- 21) Connolly GN (2004), "Sweet and spicy flavours: new brands for minorities and youth," *Tobacco Control*, 13(3): 211-212.
- 22) Connolly GN, Ferris Wayne G, Lymperis D, Doherty M. (2000), "How cigarette additives are used to mask environmental tobacco smoke," *Tobacco Control*, 9: 283-291.
- 23) Cook BL, Ferris Wayne G, Keithly L, Connolly G. (2003), "One size does not fit all: how the tobacco industry has altered cigarette design to target consumer groups with specific psychological and psychosocial needs," *Addiction*, 98: 1547-1561.
- 24) Cummings KM, Morley CP, Horan JK, Steger C, Leavell NR (2002), "Marketing to America's youth: evidence from corporate documents," *Tobacco Control*, 11(90001):i5-17.

- 25) De Beyer J, Waverley L (Eds.) Tobacco control policy: strategies, successes, and setbacks. 2003. World Bank, Washington, DC.
- 26) Effects of Nicotine on Biological Systems II, International Symposium on Nicotine. Basel, Switzerland: Birkhäuser Verlag, pp. 247-256, 1995.
- 27) Fant RV, Henningfield JE, Nelson RA, Pickworth WB (1999), "Pharmacokinetics and pharmacodynamics of moist snuff in humans," *Tobacco Control*, 8: 387-392.
- 28) Ferris Wayne G, Carpenter CM. (2009). Tobacco industry manipulation of nicotine dosing. *Handbook of Experimental Pharmacology (Special Volume on Nicotine Psychopharmacology)*, 192:457-85
- 29) Ferris Wayne G, Connolly GN (2002), "How cigarette design can affect youth initiation into smoking: Camel cigarettes 1983-93," *Tobacco Control*, 11(Suppl I): i32-i39.
- 30) Ferris Wayne G, Connolly GN, Henningfield JE (2004), "Internal tobacco industry knowledge of the neurobiology of tobacco dependence," *Nicotine and Tobacco Research*, 6: 927- 940.
- 31) Ferris Wayne G, Connolly GN. (2004), "Application, function, and effects of menthol in cigarettes: A survey of tobacco industry documents," *Nicotine & Tobacco Research*, (1):S43 - S54. PMID: 14982708.
- 32) Fiskin K, Ozkan A, Ayhan AG (2006), "Investigation of protective effects of selenium and vitamin E against DNA oxidation, membrane damage and alteration of COMT metabolism in smoke-exposed male mice (Mus musculus, Balb/c)", *Acta Biol Hung*, December 57(4): 403-13.
- 33) Giovino GA, Yang J, Tworek C, Cummings KM, O'Connor RJ, Donohue K, Barker D, Hawk L., "Use of flavored cigarettes among older adolescent and adult smokers: United States, 2004.". Presentation at the National Conference on Tobacco or Health. Chicago, Illinois; May 6, 2005.
- 34) Giovino, GA, Henningfield, JE, Tomar, SL, Escobedo, LG and Slade J (1995), "Epidemiology of tobacco use and dependence," *Epidemiologic Reviews*, 17: 48-65.
- 35) Gray N (2004). Global tobacco control policy. In P.Boyle, N. Gray, Henningfield J.E., J. Seffrin, & W. Zatonski (Eds.), *Tobacco and public health: science and policy* (pp. 659-668). Oxford, UK: Oxford University Press.
- 36) Gray N, Henningfield JE, Nienow NL, Connolly GN, Dresler C, Fagerstrom K, Jarvis MJ, Boyle P (2005), "Towards a comprehensive long term nicotine policy," *Tobacco Control*, 14(3): 161-165.

- 37) Gray NJ and Henningfield JE (2004), "A long-term view of harm reduction," *Nicotine and Tobacco Research*, 6: 759-764.
- 38) Grudzinskas C, Balster RL, Gorodetzky CW, Griffiths RR, Henningfield JE, Johanson CE, Mansbach RS, McCormick CG, Schnoll SH, Strain EC, Wright C (2006), "Impact of formulations on the abuse liability, safety and regulation of medications. The expert panel report," *Drug and Alcohol Dependence*. 83(Suppl. 1): S77-S82.
- 39) Henningfield JE and Djordjevic M (2004), "Menthol cigarettes, research needs and challenges," *Nicotine and Tobacco Research*, 6 (Supplement 1): S11-S16.
- 40) Henningfield JE and Djordjevic M. Executive Summary: Menthol cigarettes, research needs and challenges. The First Conference on Menthol Cigarettes: Setting the Research Agenda, Executive Summary. National Cancer Institute, NIH Publication No. 03-5439, September, 2003.
- 41) Henningfield JE and Fagerstrom KO (2001), "Swedish Match Company, Swedish snus and public health: A harm reduction experiment in progress?" *Tobacco Control*, 10: 253-257.
- 42) Henningfield JE and Zeller M., "Could science-based regulation make tobacco products less addictive." Invited article for the Yale Journal of Health Policy, Law and Ethics, Vol. III (Winter), Issue 1: 127-138, 2002.
- 43) Henningfield JE, Benowitz NL, Ahijevych K, Garrett BE, Connolly, GN, and Ferris WayneG (2003), "Does menthol enhance the addictiveness of cigarettes? A research agenda," *Nicotine and Tobacco Research*, 5: 9-11.
- 44) Henningfield JE, Benowitz NL, Connolly GN, Davis RM, Myers ML and Zeller M (2004), "Reducing tobacco addiction through tobacco product regulation," *Tobacco Control*, 13: 132-135.
- 45) Henningfield JE, Benowitz NL, Slade J, Houston, TP, Davis RM, Deitchman S (1998), "Reducing the addictiveness of cigarettes," *Tobacco Control*, 7: 281-293.
- 46) Henningfield JE, Burns DM, and Dybing E (2005), "Guidance for research and testing to reduce tobacco toxicant exposure," *Nicotine and Tobacco Research*, 7: 821-826.
- 47) Henningfield JE, Connolly GN, Kemper KE, Gitchell JG and Pinney JM (2006), "Clean cut cigarettes: fictitious launch foreshadows actual tobacco industry strategy," *Tobacco Control*, 15: 341-342.
- 48) Henningfield JE, Keenan RM (1993), "Nicotine delivery kinetics and abuse liability," *Journal of Consulting and Clinical Psychology*, 61: 743-750.

- 49) Henningfield JE, Kozlowski, LT and Benowitz NL (1994), "A proposal to develop meaningful labeling for cigarettes," *Journal of the American Medical Association*, 272 (4): 312-314.
- 50) Henningfield JE, Michaelides T and Sussman, S (2000), "Developing treatment for tobacco addicted youth – issues and challenges," *Journal of Child and Adolescent Substance Abuse*, 9: 5-26.
- 51) Henningfield JE, Moolchan ET and Zeller M (2003), "Regulatory strategies to reduce tobacco addiction in youth," *Tobacco Control*, 12 (Suppl. 1): i14-i24.
- 52) Henningfield JE, Pankow JF and Garrett BE (2004), "Ammonia and other chemical base tobacco additives and cigarette nicotine delivery: Issues and research needs," *Nicotine and Tobacco Research*, 6: 199-205.
- 53) Henningfield JE, Radzius A, & Cone EJ. (1995), "Estimation of available nicotine content of six smokeless tobacco products," *Tobacco Control*, 4 (1), 57-61.
- 54) Henningfield JE, Rose CA and Giovino GA (2002), "Brave new world of tobacco disease prevention: Promoting dual product use?" *American Journal of Preventive Medicine*, 23: 226-228.
- 55) Henningfield JE, Rose CA, and Zeller M (2006), "Tobacco industry litigation position on addiction: continued dependence on past views," *Tobacco Control*, 15 (Supplement IV): iv27-iv36.
- 56) Henningfield JE, Schuh LM and Heishman SJ (1995), "Pharmacological determinants of cigarette smoking" in *Effects of nicotine on biological systems II, International Symposium on Nicotine, Advances in Pharmacological Sciences*. eds Clarke PBS, Quik M, Adlkofer FX, Thureau K (Birkhauser Verlag, Switzerland), pp 247–256.
- 57) Henningfield JE, Schuh LM, and Jarvik ME,. "Pathophysiology of tobacco dependence." In: Bloom, F.E. and Kupfer, D.J. *Psychopharmacology: The Fourth Generation of Progress*. New York: Raven Press, pp. 1715-1729, 1995.
- 58) Hersey JC, Ng SW, Nonnemaker JM, Mowery P, Thomas KY, Vilsaint MC *et al.* (2006), "Are menthol cigarettes a starter product for youth?," *Nicotine and Tobacco Research*, 8(3): 403-13.
- 59) Hoffmann D, Djordjevic MV, Hoffmann I. (1997), "The changing cigarette," *Prev Med*. Jul-Aug; 26(4): 427-34.
- 60) Houtsmuller EJ, Fant RV, Eissenberg TE, Henningfield JE, and Stitzer ML (2002), "Flavor improvement does not increase abuse liability of nicotine chewing gum," *Pharmacology Biochemistry and Behavior*, 72: 559-568.

- 61) Houtsmuller EJ, Henningfield JE and Stitzer ML (2003), "Subjective effects of the nicotine lozenge: assessment of abuse liability", *Psychopharmacology*, 167: 20-27.
- 62) Hurt RD, Robertson CR. (1998), "Prying Open the Door to the Tobacco Industry's Secrets About Nicotine: The Minnesota Tobacco Trial," *JAMA*; 280(13):1173-1181.
- 63) Institute of Medicine. Clearing the smoke: assessing the science base for tobacco harm reduction. 2001, National Academy Press, Washington, DC. Available at: <http://www.nap.edu/openbook.php?isbn=0309072824>
- 64) Institute of Medicine. Reducing underage drinking: a collective responsibility. 2004. The National Academies Press, Washington DC.
- 65) Jacobson PD, Lantz PM, Warner KE, Wasserman J, Pollack HA, Ahlstrom AK (2004), "Combating teen smoking: research and policy strategies." The University of Michigan Press, Ann Arbor, MI.
- 66) Jenkins AJ, Keenan RM, Henningfield JE and Cone EJ. (1994), "Pharmacokinetics and pharmacodynamics of smoked heroin," *Journal of Analytical Toxicology*, 18:317-330.
- 67) Jha P, Ross H, Corrao MA, Chaloupka FJ (2004), "Effective interventions to reduce smoking," In P.Boyle, N. Gray, Henningfield J.E., J. Seffrin, & W. Zatonski (Eds.), *Tobacco and public health: science and policy* (pp. 733-48). Oxford, UK: Oxford University Press.
- 68) Keithly L, Ferris Wayne G, Cullen DM, Connolly GN. (2005), "Industry research on the use and effects of levulinic acid: a case study in cigarette additives," *Nicotine and Tobacco Research*, 7(5):761-71.
- 69) Kessler DA, Wilkenfeld JP, & Thompson LJ (1997), "The Food and Drug Administration's rule on tobacco: blending science and law," *Pediatrics*, 99(6), 884-887.
- 70) Kessler DA, Witt AM, Barnett PS, Zeller MR, Natanblut SL, Wilkenfeld JP, Lorraine CC, Thompson LJ, Schultz WB. (1996), "The Food and Drug Administration's regulation of tobacco products," *New England Journal of Medicine*, 335 (13): 988-994.
- 71) Kessler DA. A question of intent: a great American battle with a deadly industry. 2001. Public Affairs, New York, NY.
- 72) Klein SM, Giovino GA, Barker DC, Tworek C, Cummings KM, O'Connor RJ. (2008), "Use of flavored cigarettes among older adolescent and adult smokers: United States, 2004-2005," *Nicotine and Tobacco Research*, 10(7): 1209-14.

- 73) Kluger R (1996), "Ashes to Ashes." New York, NY: Alfred A. Knopf.
- 74) Koop EC (2004), "Tobacco: the public health disaster of the twentieth century." In P.Boyle, N. Gray, J. E. Henningfield, J. Seffrin, & W. Zatonski (Eds.), *Tobacco and public health: science and policy*. (pp. v-xvii). Oxford, UK: Oxford University Press.
- 75) Kozlowski LT, O'Connor RJ (2002), "Cigarette filter ventilation is a defective design because of misleading taste, bigger puffs, and blocked vents," *Tobacco Control*, March;11 (Suppl 1):I40- 50.
- 76) Kozlowski LT, Pillitteri JL, Sweeney CT (1994), "Misuse of "light" cigarettes by means of vent blocking," *Journal of Substance Abuse*, 6(3): 333-6.
- 77) Kreslake J, Ferris Wayne G, Alpert HR, Koh HK, and Connolly GN (2008a), "Tobacco Industry Control of Menthol in Cigarettes and Targeting of Adolescents and Young Adults," *American Journal of Public Health*, 98(9):1685-92.
- 78) Kreslake J, Ferris Wayne G, Connolly GN (2008b), "The menthol smoker: tobacco industry research on consumer sensory perception of menthol cigarettes and its role in smoking behaviour," *Nicotine and Tobacco Research*, 10(4):705-15.
- 79) Levin ED, Briggs SJ, Christopher NC, Rose JE (1993), "Chronic nicotinic stimulation and blockade effects on working memory," *Behavioral Pharmacology*, 4 (2):179-82.
- 80) Lewis MJ and Wackowski O (2006), "Dealing with an innovative industry: a look at flavored cigarettes promoted by mainstream brands," *Am J Public Health*, Feb; 96(2): 244-51.
- 81) Liberman J. (2003). "Where to for tobacco regulation: time for new approaches?" *Drug and Alcohol Review*, 22:461-9
- 82) Lynch BS and Bonnie RJ. (1994). "Toward a youth-centered prevention policy." In B.S. Lynch & R. J. Bonnie (Eds.), "Growing up tobacco free: preventing nicotine addiction in children and youths" (pp. 3-25). Washington, DC: National Academy Press.
- 83) Manning KC, Kelly KJ, Comello ML., (2009), "Flavoured cigarettes, sensation seeking and adolescents' perceptions of cigarette brands," *Tobacco Control*, 18: 459-465.
- 84) McDaniel PA, Malone RE. (2007), "I always thought they were all pure tobacco": American smokers' perceptions of "natural" cigarettes and tobacco industry advertising strategies," *Tobacco Control*, 16(6):e7.

- 85) Miller EG, Kahn BE (2005), "Shades of meaning: The effect of color and flavour names on consumer choice," *Journal of consumer research*, 32 (June): 86-92.
- 86) Mosher J. F., Johnsson D (2005), "Flavored alcoholic beverages: an international marketing campaign that targets youth," *Journal of Public Health Policy*, 26: 326-42.
- 87) National Cancer Institute. (2002). The first conference on menthol cigarettes: setting the research agenda. National Institute on Alcohol Abuse and Alcoholism (1997). Alcohol alert. Available at: <http://pubs.niaaa.nih.gov/publications/aa37.htm>
- 88) National Cancer Institute. "Risks associated with smoking cigarettes with low-machine measured yields of tar and nicotine." Smoking and Tobacco Control Monograph No. 13. 2001. Bethesda, MD, U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institutes, NIH Pub. No. 02-5074.
- 89) Nelson RA, Boyd SJ, Ziegelstein RC, Herning R, Cadet JL, Henningfield JE, Schuster CR, Contoreggi C, Gorelick DA. (2006), "Effect of rate of administration on subjective and physiological effects of intravenous cocaine in humans," *Drug Alcohol Depend*, 82(1):19-24.
- 90) O'Brien CP. Drug Addiction and Drug Abuse (2001) In Hardman JG, Limbird LE, Molinoff PB, Ruddon RW, Gilman AG, eds. Goodman & Gilman's The Pharmacological Basis of Therapeutics, pp 621-42. McGraw-Hill, New York.
- 91) Pankow JF (2001), "A Consideration of the Role of Gas/Particle Partitioning in the Deposition of Nicotine and Other Tobacco Smoke Compounds in the Respiratory Tract," *Chemical Research in Toxicology*; 4(11): 1465-1481.
- 92) Penn RN. (1997), "Tobacco Flavoring: An Overview", *Perfumer & Flavorist*, 22:21-27
- 93) Pickworth WB and Henningfield JE (1997), "Smokable drugs: pharmacologic basis for consumer appeal – Commentary," *Addiction*, 92(6): 691-692.
- 94) Pickworth WB, Moolchan ET, Berlin I, Murty R (2002), "Sensory and physiologic effects of menthol and nonmenthol cigarettes with differing nicotine delivery," *Pharmacology Biochemistry and Behavior*, 71(1-2): 55-61.
- 95) Pollay RW, Dewhirst T (2002), "The dark side of marketing seemingly "Light" cigarettes: successful images and failed fact," *Tobacco Control*, March;11(Suppl 1): I18-31.
- 96) Rabinoff MD, Caskey N, Rissling A, Park C (2007), "Pharmacological and Chemical Effects of Cigarette Additives," *Am J Public Health*, 97:1981-1991.

- 97) Reddy SK, Gupta PC (Eds). Report on tobacco control in India. 2004. Shree Om enterprises, New Delhi, India.
- 98) Richmond R (2003), "You've come a long way baby: women and the tobacco epidemic," *Addiction*. 98: 553-557.
- 99) Robert Wood Johnson Foundation. Tobacco control policy. 2007. San Francisco: John Wiley & Sons, Inc.
- 100) Robinson JD, Cinciripini PM, Tiffany ST, Carter BL, Lam CY, Wetter DW.(2007), "Gender differences in affective response to acute nicotine administration and deprivation," *Addictive Behaviors*, 32(3): 543-61.
- 101) Roemer R. (2004). A brief history of legislation to control the tobacco epidemic. In P.Boyle, N. Gray, Henningfield J.E., J. Seffrin, & W. Zatonski (Eds.), *Tobacco and public health: science and policy* (pp. 677-705). Oxford, UK: Oxford University Press.
- 102) Rose J, Behm F. (2004), "Effects of low nicotine content cigarettes on smoke intake," *Nicotine and Tobacco Research*, 6(2): 309-19.
- 103) Rose JE (2006), "Nicotine and nonnicotine factors in cigarette addiction," *Psychopharmacology*, 184: 274-285.
- 104) Saul S, "Blacks in congress split over menthol cigarettes," July 25, 2008. The New York Times. Available at:
<http://www.nytimes.com/2008/07/25/business/25menthol.html>
- 105) Saul S, "Menthol dose manipulated, study says," July 17, 2008. The New York Times. Available at:
http://www.nytimes.com/2008/07/17/business/17menthol.html?_r=1&oref=slogin
- 106) Saul S, "Black caucus seeks limits on menthol cigarettes". July 1, 2008. The New York Times. Available at:
<http://query.nytimes.com/gst/fullpage.html?res=9801E3DD1F39F932A35754C0A96E9C8B63>
- 107) Saul S, "Black lawmakers seek restriction on menthol cigarettes" July 1, 2008. The New York Times. Available at:
<http://www.nytimes.com/2008/07/01/business/01menthol.html>

- 108) Schnoll SH, Ertischek MD and Henningfield JE Risk management programs: A supplement to the Controlled Substances Act. Update: Food and Drug Law, Regulation, and Education. July/August, Issue 4: 19-23, 2006.
- 109) Schulz JE, Parran T., "Principles of identification and intervention." In Graham AW and Schultz TK Principles of addiction medicine. American Society of Addiction Medicine, Inc., Chevy Chase, MD, pp.249-261.
- 110) Schuster CR and Henningfield JE (2003), "Conference on abuse liability assessment of CNS drugs," *Drug and Alcohol Dependence*, 70, S1-S4.
- 111) Slade J (1995), "Are tobacco product drugs? Evidence from U.S. tobacco," *Tobacco Control*, 4, (1): 1-2.
- 112) Slade J and Henningfield JE (1998), "Tobacco product regulation: context and issues," *Food and Drug Law Journal*, 53 suppl: 43-74.
- 113) Slade J, Bickel WK, Crowley TJ, Ferrence R, Henningfield JE, Houston TP, Mitchell B, Room R, Sweanor DT, and Warner KE. "The role of managing nicotine in controlling the tobacco epidemic." In: Ferrence, R., Slade, J., Room, R. and Pope, M. (editors), "Nicotine and Public Health." American Public Health Association, Washington DC, pp. 483-501, 2000.
- 114) Spillane J & McAllister WB. (2003), "Keeping the lid on: a century of drug regulation and control," *Drug and Alcohol Dependence*, 70: S5-12.
- 115) Steckley SL, Darwin WD, Henningfield JE, Huestis MA, and Pickworth WB (2002), "Eclipse can deliver crack cocaine," *Nicotine and Tobacco Research*, 4(Supplement 2): S189-S190.
- 116) Stitzer ML, De Wit H (1998) "Abuse liability of nicotine." In: Benowitz NL (ed) "Nicotine safety and toxicity." Oxford University Press, Oxford, UK, pp 119-131.
- 117) Talhout R, Opperhuizen A, van Amsterdam J (2006), "Sugars as tobacco ingredient: Effects on mainstream smoke composition," *Food Chem. Toxicol*, Nov 44(11):1789-98.
- 118) Thun MJ, Burns DM (2001), "Health impact of "reduced yield" cigarettes: a critical assessment of epidemiological evidence," *Tobacco Control*, 10 (Suppl.1): i4-11.
- 119) Tyas SL, Pederson LL (1998), "Psychosocial factors related to adolescent smoking: a critical review of the literature," *Tobacco Control* , 7: 409-420.
- 120) U.S. Department of Health and Human Services (1988) The health consequences of smoking: nicotine addiction. Department of Health and Human Services, Public

Health Service, Centers for Disease Control and Prevention, Center for Health Promotion and Education, Office on Smoking and Health, Rockville, MD.

- 121) U.S. Department of Health and Human Services (1994). Preventing tobacco use among young people: a report of the Surgeon General. Atlanta: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.
- 122) U.S. Department of Health and Human Services (2001). Women and smoking. Atlanta: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.
- 123) Wagner EF (Ed.) (2000), "Nicotine addiction among adolescents," *Journal of Child and Adolescent Substance Abuse*, 9(4): 1-110.
- 124) Wechsler H, Nelson TF (2008), "What we have learned from the Harvard school of public health college alcohol study: focusing attention on college student alcohol consumption and the environmental conditions that promote it," *Journal of Studies on Alcohol and Drugs*, 69(4): 481-90.
- 125) Weitberg AB, Corvese D (1997), "Effect of vitamin E and beta-carotene on DNA strand breakage induced by tobacco-specific nitrosamines and stimulated human phagocytes," *J Exp Clin Cancer Res*, 16(1): 11-4.
- 126) Wilkenfeld J, Henningfield J, Slade J, Burns D, Pinney J (2000), "It's time for a change: Cigarette smokers deserve meaningful information about their cigarettes," *Journal of the National Cancer Institute*, 92(2): 90-92.
- 127) Wilkenfeld J, Henningfield J, Slade J, Burns D, Pinney J (2000), "Response to FTC's Response to: It's time for a change: Cigarette smokers deserve meaningful information about their cigarettes," *Journal of the National Cancer Institute*, 92(10): 842-843.
- 128) World Health Organization (1992) The ICD-10 Classification of mental behavioural disorders. World Health Organization, Geneva.
- 129) World Health Organization (1998). Guidelines for controlling and monitoring the tobacco epidemic. Geneva, Switzerland: World Health Organization.
- 130) World Health Organization (2004). The millennium development goals and tobacco control. Geneva, Switzerland: World Health Organization.

- 131) World Health Organization Expert Committee on Drug Dependence. (2003) Thirty third report. Available at:
http://www.who.int/substance_abuse/right_committee/en/index.html

Special Reports

- 132) Bates C, Connolly GN, Jarvis M (1999), "Tobacco additives: cigarette engineering and nicotine addiction", London, U.K.: Action on Smoking and Health. Available at: <http://old.ash.org.uk/html/regulation/html/additives.html>
- 133) Campaign for Tobacco-Free Kids. (2008). New studies on menthol and polonium-210 in cigarettes show need for FDA regulation of tobacco products. Available at: <http://www.tobaccofreekids.org/Script/DisplayPressRelease.php3?Display=1090>
- 134) Dachille K, "Pick your poison: Responses to the marketing and sale of flavoured tobacco products," Tobacco Control Legal Consortium, 2009. Available at: <http://tobaccolawcenter.org/documents/flavored-tobacco.pdf>
- 135) Danish Cancer Society, "Tobacco Additives- A Study of Available Literature." 2008. Available at: http://www.ensp.org/files/dcs_tobacco_additives_summary_2008.pdf
- 136) Fowles J, "Chemical factors influencing the addictiveness and attractiveness of cigarettes in New Zealand", Institute of Environmental Science and Research Limited.2001. Available at:
[http://www.moh.govt.nz/moh.nsf/pagescm/1004/\\$File/chemicalfactorsaddictiveness_cigarettes.pdf](http://www.moh.govt.nz/moh.nsf/pagescm/1004/$File/chemicalfactorsaddictiveness_cigarettes.pdf)
- World Health Organisation Europe. Conference on the regulation of tobacco products. Conclusions from conference held in Helsinki, 18 October 1999. Available at:
http://www.who.int/tobacco/global_interaction/tobreg/helsinki_99/en/index/html
- 137) Henningfield JE, Lead author of report issued by the World Health Organization and reviewed and approved through WHO process as an official WHO report. Tobacco: Deadly in Any Form or Disguise, World No Tobacco Day Monograph, WHO, Geneva, 2006. Available at:
http://www.who.int/tobacco/communications/events/wntd/2006/Tfi_Rapport.pdf
- 138) Henningfield JE, Letter to The Honorable Henry A. Waxman. (Personal communications). June 18, 2008.
- 139) Henningfield JE, Nicotine Deliveries and Consumer Acceptability. Report of Canada's Expert Committee on Cigarette Modifications: Conference Proceedings, pp. 49-55, Toronto, Canada, Health Canada, March 1997.

- 140) Merckel C, Pragst F. Tabakzusatzstoffe (Analyse des additifs ajoutés aux cigarettes - Résumé du rapport concernant le projet « additifs du tabac »). 2006. Office fédéral de la santé publique (Suisse). Available at:
<http://www.bag.admin.ch/themen/drogen/00041/00618/00780/index.html>
- 141) Merckel C, Pragst F. Nachweis von Tabakzusatzstoffen in handelsüblichen Zigaretten (Résumé du rapport concernant le projet additifs du tabac, 2e partie : identification de mélanges complexes d'additifs) 2009. Office fédéral de la santé publique (Suisse). Available at:
<http://www.bag.admin.ch/themen/drogen/00041/00618/00780/index.html>
- 142) Royal College of Physicians (2000). *Nicotine addiction in Britain: a report of the Tobacco Advisory Group of the Royal College of Physicians*. London, UK: Royal College of Physicians of London.
- 143) Royal College of Physicians (2007). *Harm reduction in nicotine addiction: helping people who can't quit*. London, UK: Royal College of Physicians of London.
- 144) Substance Abuse and Mental Health Services Administration. National Survey on Drug Use and Health: Department of Health and Human Services; 2006.
- 145) The Royal Society of Canada. Tobacco, Nicotine and Addiction. Royal Society, Ottawa, Ontario, August 31, 1989.
- 146) U.S. Food and Drug Administration, "Flavored Tobacco Product Fact Sheet", September 22, 2009. Available at:
<http://www.fda.gov/TobaccoProducts/GuidanceComplianceRegulatoryInformation/FlavoredTobacco/ucm183198.htm>
- 147) Ferris Wayne G, Henningfield JE, "Tobacco Product Attractiveness as a Contributor to Tobacco Addiction and Disease." 2008. Report to Health Canada, Ottawa, Canada.
- 148) World Health Organization Scientific Advisory Committee on Tobacco Product Regulation. (2003a) SACTob recommendation on health claims derived from ISO/FTC method to measure cigarette yield. Geneva, Switzerland: World Health Organization. Available at:
http://www.who.int/tobacco/global_interaction/tobreg/oslo_2002_iso/en/index.html
- 149) World Health Organization Study Group on Tobacco Product Regulation (2004) Recommendation: Guiding principles for the development of tobacco product research and testing capacity and proposed protocols for the initiation of tobacco product testing. World Health Organization, Geneva, Switzerland. Available at:
http://www.who.int/tobacco/global_interaction/tobreg/goa_2003_principles/en/index.html

- 150) World Health Organization Study Group on Tobacco Product Regulation. Candy-Flavoured Tobacco Products: Research Needs and Regulatory Recommendations, The Scientific Basis of Tobacco Product Regulation, WHO Technical Report Series 945, 2007, pp. 25-42. Available at:
http://www.who.int/tobacco/global_interaction/tobreg/tsr/en/index.html
- 151) World Health Organization (2006). Advisory Note. Waterpipe smoking: health effects, research needs and recommended actions by regulators. Available at:
www.who.int/tobacco/global_interaction/tobreg/Waterpipe%20recommendation_Final.pdf
- 152) World Health Organization (2001) Advancing knowledge on regulating tobacco products. World Health Organization, Geneva, Switzerland. Available at:
<http://www.who.int/tobacco/media/OsloMonograph.pdf>

Industry Documents

- 153) American Tobacco. Caffeine as an Additive to Tobacco Products – Summary Report. 1970. Bates: 950077058/7072. Available at:
<http://legacy.library.ucsf.edu/tid/qln86b00/pdf>
- 154) Baker RR, Chemosensory Research. 28 Feb 1990. British American Tobacco. Bates: 400854060-400854066. Available at:
<http://tobaccodocuments.org/ness/21044.html>
- 155) British American Tobacco, 1982. Evaluation of Commercial “Sidestream” Aroma Enhancing Agents (1) – Tobacco and paper additives, Bates: 103522704/708. Available at:
<http://www.legacy.library.ucsf.edu/tid/rxf06a99>
- 156) British American Tobacco Company Limited: Product Seminar, Hilton National Hotel, Southampton, 9th -11th July 1997. Bates: 760076123-760076306
<http://legacy.library.ucsf.edu/tid/cxj55a99>
- 157) Brown & Williamson Tobacco Corporation. American Spirit Cigarettes/324, 1994, Bates: 403001292. Available at:
<http://www.legacy.library.ucsf.edu/tid/cjr51f00>
- 158) Brown & Williamson Tobacco Corporation. Composition of casing material: Cocoa, its constituents, and their organoleptic properties. 1978. Bates: 566613142/3177. Available at: <http://legacy.library.ucsf.edu/tid/wfk51f00>
- 159) Browne CL. 1990, The design of cigarettes. Hoechst Celanese, Charlotte, NC.

- 160) Burns DM. 1992. Assessing changes in topography (inhalation profile) and biological effects of tobacco smoke in humans. Available at:
<http://tobaccodocuments.org/productdesign/87795497-5520.html>
- 161) Cigarette filter for the administration of taurine by inhalation. European Patent EP0591048, publication 1999. Available at:
<http://www.freepatentsonline.com/EP0591048.pdf>
- 162) Frank DM. Cigarettes with Recognizable Flavors : A State of the Art Review, Project No. 220, Brown & Williamson, Bates: 621636359/372. Available at:
<http://legacy.library.ucsf.edu/tid/bfw60f00/pdf>
- 163) Hayes AW, Jennings RA, Morgan WT, Reynolds JH, Walker JC "Effect of Chemical Stimulant Concentration on the Perception of Draw". RJ Reynolds. 09 Apr 1991. Bates: 508277453-508277466. Available at:
http://tobaccodocuments.org/product_design/508277453-7466.html
- 164) Jennings RA, Morgan WT, Walker JC, "Effect of a Chemical Stimulant on the Perception of Draw: A Pilot Study," RJ Reynolds. 08 Feb 1991. Bates: 508258180-508258191. Available at:
http://tobaccodocuments.org/product_design/508258180-8191.html
- 165) Kapular & Associates, Smokers reaction to a flavored cigarette concept- A qualitative study-. Jan 1984. Brown & Williamson. Bates No. 679235846-679235893. Available at:
http://tobaccodocuments.org/product_design/11924518.html
- 166) Lawson JL and Toben TP, "New Business Research and Development Report. Low Level Menthol Opportunity Analysis." RJ Reynolds. 24 Nov 1986. 1986, Bates: 505930469-505930487. Available at:
<http://tobaccodocuments.org/rjr/505930469-0487.html>
- 167) Marketing Innovations, Inc. (memo to Brown & Williamson regarding ideas for a "youth" cigarette), 1972, Bates: 170042014. Available at:
<http://legacy.library.ucsf.edu/tid/ons56b00>
- 168) Philip Morris. Qualitative Research on Menthol / Nonmenthol Smokers. 26 Sep 1991. Bates: 2057096413-2057096532. Available at:
<http://tobaccodocuments.org/ahf/2057096413-6532.html>
- 169) Philip Morris. Analogs. 1989. Available at:
http://tobaccodocuments.org/product_design/2057768755-8756.html
- 170) Philip Morris. "New Flavors Qualitative Research Insights 921000." 1992. Bates: 2023163698-2023163710. Available at:
<http://www.legacy.library.ucsf.edu/tid/wzj48e00>

- 171) Philip Morris. 1994. Ingredients added to tobacco in the manufacture of cigarettes by the six major American cigarette companies. Bates: 202301127411322, Available at:
<http://legacy.library.ucsf.edu/tid/pqy74e00>
- 172) Potter DL. No Additives Cigarette, RJR Interoffice Memo, 1989, Bates: 507020001/0002. Available at:
<http://www.legacy.library.ucsf.edu/tid/ypr34d00>
- 173) R.J. Reynolds Tobacco Company (“secret” stamped document – Results from MDM Committee Meeting August 13, 1985), 1985, Bates: 504625322/5327. Available at:
<http://www.legacy.library.ucsf.edu/tid/ane65d00>
- 174) R.J. Reynolds Tobacco Company (letter from R.L. Willard), 1985, Bates: 504978310-8310. Available at:
<http://www.legacy.library.ucsf.edu/tid/jhq35d00>
- 175) R.J. Reynolds Tobacco Company. Natural American Spirit – Update, 1995, Bates: 520581813/1817. Available at:
<http://www.legacy.library.ucsf.edu/tid/ixk66d00>
- 176) R.J. Reynolds Tobacco Company. (Marketing report: Leber Katz Partners.) “Green” Marketing Research and Findings. 3 Jun. 1992, Bates: 512284504-/4535. Available at: <http://tobaccodocuments.org/rjr/512284504-4535.html>
- 177) R.J. Reynolds Tobacco Company. Beta-Carotene Study Group Opportunity, 1992, Bates: 508698033. Available at:
<http://legacy.library.ucsf.edu/tid/abb93d00>
- 178) Teague CE (1973). Research Planning Memorandum on Some Thoughts about a New Brand of Cigarettes for the Youth Market. RJR Tobacco Company. February 2, 1973. Bates No.: 505101981 -1992. Available at:
http://tobaccodocuments.org/product_design/505101981-1992.html
- 179) Willard, R. L. 1985. I would like to express my sincere appreciation for the exciting flavoring work you have done on Project Xg.
<http://tobaccodocuments.org/rjr/504978310-8310.html>
- 180) Wells, JK, III. Subject: Technology Handbook. 22 Aug 1995. Brown & Williamson. Bates: 505500002. Available at:
http://tobaccodocuments.org/product_design/945335.html

- 181) Whitehead-P. Visual and Sensory Cues in the Control of Smoking Behaviour. P
Whitehead Paper 5. RJR Tobacco Company. 1994. Bates: 505303428-505303444.
Available at: http://tobaccodocuments.org/product_design/944669.html