

## **SELECTED SOURCES OF INFORMATION**

### **(Tobacco Product Regulation) February 2011**

- 1) Alpert HR, Koh H, Connolly GN (2008), “Free nicotine content and strategic marketing of moist snuff tobacco products in the United States: 2000-2006,” *Tobacco Control*, October 17(5): 332-8.
- 2) Amos A, Haglund M (2000), “From social taboo to ‘torch of freedom’: the marketing of cigarettes to women,” *Tobacco Control*, 9: 3–8. Available at: <http://tobaccocontrol.bmj.com/content/9/1/3.full.pdf>
- 3) Britton J, Edwards R (2007) Tobacco Smoking, Harm Reduction, and nicotine product regulation, *The Lancet*, 371(9610):441-445
- 4) Carpenter CM, Ferris Wayne G, Connolly GN (2005), “Designing cigarettes for women: new findings from the tobacco industry documents,” *Addiction*, 100(6): 837-51. Available at: <http://innovatorsawards.org/media/file/carpenter.pdf>
- 5) Carpenter CM, Ferris Wayne G, Connolly GN (2007), “The role of sensory perception in the development and targeting of tobacco products,” *Addiction*, 102: 136-147. Available at: <http://onlinelibrary.wiley.com/doi/10.1111/j.1360-0443.2006.01649.x/pdf>
- 6) Carpenter CM, Ferris Wayne G, Connolly GN, Pauly J, Koh H (2005), “New cigarette brands with flavors that appeal to youth,” *Health Affairs*, 24(6): 1601-10. Available at: <http://content.healthaffairs.org/content/24/6/1601.full>
- 7) Connolly GN (1995), “The marketing of nicotine addiction by one oral snuff manufacturer,” *Tobacco Control*, 4(1): 73-79. Available at: <http://tobaccocontrol.bmj.com/content/4/1/73.full.pdf?sid=125043d7-be2d-45df-8b25-0593d928d667>
- 8) Connolly GN (2004), “Sweet and spicy flavours: new brands for minorities and youth,” *Tobacco Control*, 13(3): 211-212. Available at: <http://tobaccocontrol.bmj.com/content/13/3/211.full.pdf>
- 9) Connolly GN, Ferris Wayne G, Lymeris D, Doherty M. (2000), “How cigarette additives are used to mask environmental tobacco smoke,” *Tobacco Control*, 9: 283-291. Available at: <http://tobaccocontrol.bmj.com/content/9/3/283.full.pdf>
- 10) Cook BL, Ferris Wayne G, Keithly L, Connolly G. (2003), “One size does not fit all: how the tobacco industry has altered cigarette design to target consumer groups

- with specific psychological and psychosocial needs," *Addiction*, 98: 1547-1561. Available at: <http://onlinelibrary.wiley.com/doi/10.1046/j.1360-0443.2003.00563.x/pdf>
- 11) Cummings KM, Morley CP, Horan JK, Steger C, Leavell NR (2002), "Marketing to America's youth: evidence from corporate documents," *Tobacco Control*, 11(suppl.):i5-i17. Available at: [http://tobaccocontrol.bmj.com/content/11/suppl\\_1/i5.full.pdf](http://tobaccocontrol.bmj.com/content/11/suppl_1/i5.full.pdf)
  - 12) Fant RV, Henningfield JE, Nelson RA, Pickworth WB (1999), "Pharmacokinetics and pharmacodynamics of moist snuff in humans," *Tobacco Control*, 8: 387-392. Available at: <http://tobaccocontrol.bmj.com/content/8/4/387.full.pdf>
  - 13) Ferris Wayne G, Connolly GN (2002), "How cigarette design can affect youth initiation into smoking: Camel cigarettes 1983-93," *Tobacco Control*, 11(Suppl.): i32-i39. Available at: [http://tobaccocontrol.bmj.com/content/11/suppl\\_1/i32.full.pdf](http://tobaccocontrol.bmj.com/content/11/suppl_1/i32.full.pdf)
  - 14) Ferris Wayne G, Connolly GN. (2004), "Application, function, and effects of menthol in cigarettes: A survey of tobacco industry documents," *Nicotine & Tobacco Research*, (1):S43 - S54
  - 15) Gray NJ and Henningfield JE (2004), "A long-term view of harm reduction," *Nicotine and Tobacco Research*, 6:759-764.
  - 16) Henningfield JE and Djordjevic M (2004), "Menthol cigarettes, research needs and challenges," *Nicotine and Tobacco Research*, 6 (Supplement 1): S11-S16. Available at: <http://www.bvsde.paho.org/bvsacd/cd53/henningfield.pdf>
  - 17) Henningfield JE and Fagerstrom KO (2001), "Swedish Match Company, Swedish snus and public health: A harm reduction experiment in progress?" *Tobacco Control*, 10:253-257. Available at: <http://tobaccocontrol.bmj.com/content/10/3/253.full.pdf>
  - 18) Henningfield JE, Benowitz NL, Ahijevych K, Garrett BE, Connolly, GN, and Ferris WayneG (2003), "Does menthol enhance the addictiveness of cigarettes? A research agenda," *Nicotine and Tobacco Research*, 5:9-11.
  - 19) Henningfield JE, Benowitz NL, Connolly GN, Davis RM, Myers ML and Zeller M (2004), "Reducing tobacco addiction through tobacco product regulation," *Tobacco Control*, 13:132-135. Available at: <http://tobaccocontrol.bmj.com/content/13/2/132.full.pdf>
  - 20) Henningfield JE, Connolly GN, Kemper KE, Gitchell JG and Pinney JM (2006), "Clean cut cigarettes: fictitious launch foreshadows actual tobacco industry strategy," *Tobacco Control*, 15: 341-342.

- 21) Hersey JC, Ng SW, Nonnemaker JM, Mowery P, Thomas KY, Vilsaint MC *et al.*(2006), “Are menthol cigarettes a starter product for youth?,” *Nicotine and Tobacco Research*, 8(3): 403-13.
- 22) Hoffmann D, Djordjevic MV, Hoffmann I. (1997), “The changing cigarette,” *Prev Med*. Jul-Aug; 26(4): 427-34.
- 23) Houtsmuller EJ, Fant RV, Eissenberg TE, Henningfield JE, and Stitzer ML (2002), “Flavor improvement does not increase abuse liability of nicotine chewing gum,” *Pharmacology Biochemistry and Behavior*, 72: 559-568.
- 24) Hurt RD, Robertson CR. (1998), “Prying Open the Door to the Tobacco Industry's Secrets About Nicotine: The Minnesota Tobacco Trial,” *JAMA*; 280(13):1173-1181. Available at: <http://jama.ama-assn.org/content/280/13/1173.full.pdf+html>
- 25) Institute of Medicine. Clearing the smoke: assessing the science base for tobacco harm reduction. 2001, National Academy Press, Washington, DC. Available at: <http://www.nap.edu/openbook.php?isbn=0309072824>
- 26) Keithly L, Ferris Wayne G, Cullen DM, Connolly GN. (2005), “Industry research on the use and effects of levulinic acid: a case study in cigarette additives,” *Nicotine and Tobacco Research*, 7(5):761-71.
- 27) Kessler DA, Wilkenfeld JP, & Thompson LJ (1997), “The Food and Drug Administration's rule on tobacco: blending science and law,” *Pediatrics*, 99(6):884-887.
- 28) Kessler DA, Witt AM, Barnett PS, Zeller MR, Natanblut SL, Wilkenfeld JP, Lorraine CC, Thompson LJ, Schultz WB. (1996), “The Food and Drug Administration's regulation of tobacco products,” *New England Journal of Medicine*, 335(13): 988-994. Available at: <http://www.nejm.org/doi/pdf/10.1056/NEJM199609263351321>
- 29) Klein SM, Giovino GA, Barker DC, Tworek C, Cummings KM, O'Connor RJ. (2008), “Use of flavored cigarettes among older adolescent and adult smokers: United States, 2004-2005,” *Nicotine and Tobacco Research*, 10(7): 1209-14.
- 30) Kreslake J, Ferris Wayne G, Alpert HR, Koh HK, and Connolly GN (2008a), “Tobacco Industry Control of Menthol in Cigarettes and Targeting of Adolescents and Young Adults,” *American Journal of Public Health*, 98(9):1685-92. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2509610/pdf/0981685.pdf>
- 31) Kreslake J, Ferris Wayne G, Connolly GN (2008b), “The menthol smoker: tobacco industry research on consumer sensory perception of menthol cigarettes and its role in smoking behaviour,” *Nicotine and Tobacco Research*, 10(4):705-15.

- 32) Lewis MJ and Wackowski O (2006), "Dealing with an innovative industry: a look at flavored cigarettes promoted by mainstream brands," *Am J Public Health*, Feb; 96(2): 244-51. Available at:  
<http://ajph.aphapublications.org/cgi/reprint/96/2/244.pdf>
- 33) Liberman J. (2003). "Where to for tobacco regulation: time for new approaches?" *Drug and Alcohol Review*, 22:461-9
- 34) Manning KC, Kelly KJ, Comello ML., (2009), "Flavoured cigarettes, sensation seeking and adolescents' perceptions of cigarette brands," *Tobacco Control*, 18: 459-465.
- 35) McDaniel PA, Malone RE. (2007), "I always thought they were all pure tobacco": American smokers' perceptions of "natural" cigarettes and tobacco industry advertising strategies," *Tobacco Control*, 16(6):e7. Available at:  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2807204/pdf/e7.pdf>
- 36) Miller EG, Kahn BE (2005), "Shades of meaning: The effect of color and flavour names on consumer choice," *Journal of consumer research*, 32(1):86-92. Available at: <http://knowledge.wharton.upenn.edu/papers/1295.pdf>
- 37) Mosher J. F., Johnsson D (2005), "Flavored alcoholic beverages: an international marketing campaign that targets youth," *Journal of Public Health Policy*, 26: 326-42.
- 38) National Cancer Institute. "Risks associated with smoking cigarettes with low-machine measured yields of tar and nicotine." Smoking and Tobacco Control Monograph No. 13. 2001. Bethesda, MD, U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institutes, NIH Pub. No. 02-5074. Available at: <http://cancercontrol.cancer.gov/tcrb/monographs/13/>
- 39) National Cancer Institute. The First Conference on Menthol Cigarettes: Setting the Research Agenda, Executive Summary, NIH Publication No. 03-5439, September, 2003. Available at:  
[http://cancercontrol.cancer.gov/tcrb/MentholExecSumRprt4\\_10-16.pdf](http://cancercontrol.cancer.gov/tcrb/MentholExecSumRprt4_10-16.pdf)
- 40) Nelson RA, Boyd SJ, Ziegelstein RC, Herning R, Cadet JL, Henningfield JE, Schuster CR, Contoreggi C, Gorelick DA. (2006), "Effect of rate of administration on subjective and physiological effects of intravenous cocaine in humans," *Drug Alcohol Depend*, 82(1):19-24.
- 41) Penn RN. (1997), "Tobacco Flavoring: An Overview", *Perfumer & Flavorist*, 22:21-27

- 42) Pickworth WB and Henningfield JE (1997), "Smokable drugs: pharmacologic basis for consumer appeal – Commentary," *Addiction*, 92(6): 691-692.
- 43) Pickworth WB, Moolchan ET, Berlin I, Murty R (2002), "Sensory and physiologic effects of menthol and nonmenthol cigarettes with differing nicotine delivery," *Pharmacology Biochemistry and Behavior*, 71(1-2): 55-61.
- 44) Pollay RW, Dewhirst T (2002), "The dark side of marketing seemingly "Light" cigarettes: successful images and failed fact," *Tobacco Control*, March;11(Suppl 1): I18-31. Available at: [http://tobaccocontrol.bmjjournals.org/content/11/suppl\\_1/i18.full.pdf](http://tobaccocontrol.bmjjournals.org/content/11/suppl_1/i18.full.pdf)
- 45) Rabinoff MD, Caskey N, Rissling A, Park C (2007), "Pharmacological and Chemical Effects of Cigarette Additives," *Am J Public Health*, 97:1981-1991. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2040350/pdf/0971981.pdf>
- 46) Reddy SK, Gupta PC (Eds). Report on tobacco control in India. 2004. Shree Om enterprises, New Delhi, India. Available at: [http://www.mohfw.nic.in/Tobacco%20control%20in%20India\\_\(10%20Dec%2004\)\\_PDF.pdf](http://www.mohfw.nic.in/Tobacco%20control%20in%20India_(10%20Dec%2004)_PDF.pdf)
- 47) Richmond R (2003), "You've come a long way baby: women and the tobacco epidemic," *Addiction*. 98: 553–557. Available at: <http://onlinelibrary.wiley.com/doi/10.1046/j.1360-0443.2003.00342.x/pdf>
- 48) Rose JE (2006), "Nicotine and nonnicotine factors in cigarette addiction," *Psychopharmacology*, 184: 274-285. Available at: <http://www.springerlink.com/content/78756648h2300v80/fulltext.pdf>
- 49) Saul S, "Blacks in congress split over menthol cigarettes," July 25, 2008. The New York Times. Available at: <http://www.nytimes.com/2008/07/25/business/25menthol.html>
- 50) Saul S, "Menthol dose manipulated, study says," July 17, 2008. The New York Times. Available at: [http://www.nytimes.com/2008/07/17/business/17menthol.html?\\_r=1&oref=slogin](http://www.nytimes.com/2008/07/17/business/17menthol.html?_r=1&oref=slogin)
- 51) Saul S, "Black caucus seeks limits on menthol cigarettes". July 1, 2008. The New York Times. Available at: <http://query.nytimes.com/gst/fullpage.html?res=9801E3DD1F39F932A35754C0A96E9C8B63>
- 52) Saul S, "Black lawmakers seek restriction on menthol cigarettes" July 1, 2008. The New York Times. Available at: <http://www.nytimes.com/2008/07/01/business/01menthol.html>

- 53) Slade J and Henningfield JE (1998), "Tobacco product regulation: context and issues," *Food and Drug Law Journal*, 53 suppl: 43-74.
- 54) Talhout R, Opperhuizen A, van Amsterdam J (2006), "Sugars as tobacco ingredient: Effects on mainstream smoke composition," *Food Chem. Toxicol.*, Nov 44(11):1789-98. Available at: <http://tobacco-information.bhp.doh.gov.tw/toxicfolder/009.%E5%88%A9%E9%81%94%E8%A1%8C/039.pdf>
- 55) Tyas SL, Pederson LL (1998), "Psychosocial factors related to adolescent smoking: a critical review of the literature," *Tobacco Control*, 7: 409-420. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1751465/pdf/v007p00409.pdf>
- 56) U.S. Department of Health and Human Services (1988), The health consequences of smoking: nicotine addiction. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, Center for Health Promotion and Education, Office on Smoking and Health, Rockville, MD. Available at: [http://profiles.nlm.nih.gov/NN/B/B/Z/D/\\_nnbbzd.pdf](http://profiles.nlm.nih.gov/NN/B/B/Z/D/_nnbbzd.pdf)
- 57) U.S. Department of Health and Human Services (1994). Preventing tobacco use among young people: a report of the Surgeon General. Atlanta: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. Available at: [http://www.cdc.gov/tobacco/data\\_statistics/sgr/1994/index.htm](http://www.cdc.gov/tobacco/data_statistics/sgr/1994/index.htm)
- 58) U.S. Department of Health and Human Services (2001). Women and smoking. Atlanta: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. Available at: [http://www.cdc.gov/tobacco/data\\_statistics/sgr/2001/index.htm](http://www.cdc.gov/tobacco/data_statistics/sgr/2001/index.htm)
- 59) Wechsler H, Nelson TF (2008), "What we have learned from the Harvard school of public health college alcohol study: focusing attention on college student alcohol consumption and the environmental conditions that promote it," *Journal of Studies on Alcohol and Drugs*, 69(4): 481-90. Available at: <http://www.hsph.harvard.edu/cas/What-We-Learned-08.pdf>
- 60) World Health Organization Expert Committee on Drug Dependence. (2003) Thirty third report. Available at: [http://www.who.int/substance\\_abuse/right\\_committee/en/index.html](http://www.who.int/substance_abuse/right_committee/en/index.html)

## Special Reports

- 61) American Lung Association (2006), “Tobacco Policy Trend Alert: From Joe Camel to Kauai Kolada – the Marketing of Candy-Flavored Cigarettes” July 2005 [updated May 2006]. Available at:  
<http://slati.lungusa.org/reports/CandyFlavoredUpdatedAlert.pdf>
- 62) American Lung Association (2006), “Tobacco Policy Trend Alert Addendum, Alcohol-Flavored Cigarettes – Continuing the Flavored Cigarette Trend”, May 2006, Available at: <http://slati.lungusa.org/alerts/Alcohol-Flavored-Addendum.pdf>.
- 63) Bates C, Connolly GN, Jarvis M (1999), “Tobacco additives: cigarette engineering and nicotine addiction”, London, U.K.: Action on Smoking and Health.
- 64) Campaign for Tobacco-Free Kids. (2008). New studies on menthol and polonium-210 in cigarettes show need for FDA regulation of tobacco products. Available at: <http://www.tobaccofreekids.org/Script/DisplayPressRelease.php3?Display=1090>
- 65) Dachille K, “Pick your poison: Responses to the marketing and sale of flavoured tobacco products,” Tobacco Control Legal Consortium, 2009. Available at: <http://tobaccolawcenter.org/documents/flavored-tobacco.pdf>
- 66) Danish Cancer Society, “Tobacco Additives- A Study of Available Literature.” 2008. Available at:  
[http://old.ensp.org/files/dcs\\_tobacco\\_additives\\_summary\\_2008.pdf](http://old.ensp.org/files/dcs_tobacco_additives_summary_2008.pdf)
- 67) Fowles J, “Chemical factors influencing the addictiveness and attractiveness of cigarettes in New Zealand”, Institute of Environmental Science and Research Limited.2001. Available at:  
[http://www.moh.govt.nz/moh.nsf/pagescm/1004/\\$File/chemicalfactorsaddictiveness\\_cigarettes.pdf](http://www.moh.govt.nz/moh.nsf/pagescm/1004/$File/chemicalfactorsaddictiveness_cigarettes.pdf)
- 68) World Health Organisation Europe. Conference on the regulation of tobacco products. Conclusions from conference held in Helsinki, 18 October 1999. Available at:  
[www.who.int/tobacco/global\\_interaction/tobreg/helsinki\\_99/en/index.html](http://www.who.int/tobacco/global_interaction/tobreg/helsinki_99/en/index.html)
- 69) Henningfield JE, Lead author of report issued by the World Health Organization and reviewed and approved through WHO process as an official WHO report. Tobacco: Deadly in Any Form or Disguise, World No Tobacco Day Monograph, WHO, Geneva, 2006. Available at:  
[http://www.who.int/tobacco/communications/events/wntd/2006/Tfi\\_Rapport.pdf](http://www.who.int/tobacco/communications/events/wntd/2006/Tfi_Rapport.pdf)
- 70) Merckel C, Pragst F. Tabakzusatzstoffe (Analyse des additifs ajoutés aux cigarettes - Résumé du rapport concernant le projet « additifs du tabac »). 2006. Office fédéral

de la santé publique (Suisse). Available at:  
<http://www.bag.admin.ch/themen/drogen/00041/00618/00780/index.html>

- 71) Merckel C, Pragst F. Nachweis von Tabakzusatzstoffen in handelsüblichen Zigaretten (Résumé du rapport concernant le projet additifs du tabac, 2e partie : identification de mélanges complexes d'additifs) 2009. Office fédéral de la santé publique (Suisse). Available at:  
<http://www.bag.admin.ch/themen/drogen/00041/00618/00780/index.html>
- 72) Physicians for a Smoke-free Canada (2009), “Flavoured Tobacco: How the Tobacco Industry Baits its Prey” June 2009. Available at:  
[http://www.smoke-free.ca/pdf\\_1/2009/Flavoured-Jun2.pdf](http://www.smoke-free.ca/pdf_1/2009/Flavoured-Jun2.pdf)
- 73) Royal College of Physicians (2007). *Harm reduction in nicotine addiction: helping people who can't quit*. London, UK: Royal College of Physicians of London. Available at: <http://www.tobaccoprogram.org/pdf/4fc74817-64c5-4105-951e-38239b09c5db.pdf>
- 74) U.S. Food and Drug Administration, “Flavored Tobacco Product Fact Sheet”, September 22, 2009. Available at:  
<http://www.fda.gov/TobaccoProducts/GuidanceComplianceRegulatoryInformation/FlavoredTobacco/ucm183198.htm>
- 75) Ferris Wayne G, Henningfield JE, “Tobacco Product Attractiveness as a Contributor to Tobacco Addiction and Disease.” 2008. Report to Health Canada, Ottawa, Canada.
- 76) World Health Organization Scientific Advisory Committee on Tobacco Product Regulation. (2003) SACTob recommendation on health claims derived from ISO/FTC method to measure cigarette yield. Geneva, Switzerland: World Health Organization. Available at:  
[http://www.who.int/tobacco/global\\_interaction/tobreg/oslo\\_2002\\_iso/en/index.html](http://www.who.int/tobacco/global_interaction/tobreg/oslo_2002_iso/en/index.html)
- 77) World Health Organization Study Group on Tobacco Product Regulation (2004) Recommendation: Guiding principles for the development of tobacco product research and testing capacity and proposed protocols for the initiation of tobacco product testing. World Health Organization, Geneva, Switzerland. Available at:  
[http://www.who.int/tobacco/global\\_interaction/tobreg/goa\\_2003\\_principles/en/index.html](http://www.who.int/tobacco/global_interaction/tobreg/goa_2003_principles/en/index.html)
- 78) World Health Organization Study Group on Tobacco Product Regulation. Candy-Flavoured Tobacco Products: Research Needs and Regulatory Recommendations, The Scientific Basis of Tobacco Product Regulation, WHO Technical Report Series 945, 2007, pp. 25-42. Available at:  
[http://www.who.int/tobacco/global\\_interaction/tobreg/tsr/en/index.html](http://www.who.int/tobacco/global_interaction/tobreg/tsr/en/index.html)

- 79) World Health Organization (2006). Advisory Note. Waterpipe smoking: health effects, research needs and recommended actions by regulators. Available at: [www.who.int/tobacco/global\\_interaction/tobreg/Waterpipe%20recommendation\\_Final.pdf](http://www.who.int/tobacco/global_interaction/tobreg/Waterpipe%20recommendation_Final.pdf)
- 80) World Health Organization (2001) Advancing knowledge on regulating tobacco products. World Health Organization, Geneva, Switzerland. Available at: <http://www.who.int/tobacco/media/OsloMonograph.pdf>

## Industry Documents

- 81) American Tobacco. Caffeine as an Additive to Tobacco Products – Summary Report. 1970. Bates: 950077058/7072. Available at: <http://legacy.library.ucsf.edu/tid/qln86b00/pdf>
- 82) Baker RR, Chemosensory Research. 28 Feb 1990. British American Tobacco. Bates: 400854060-400854066. Available at: <http://tobaccodocuments.org/ness/21044.html>
- 83) British American Tobacco, 1982. Evaluation of Commercial “Sidestream” Aroma Enhancing Agents (1) – Tobacco and paper additives, Bates: 103522704/708. Available at: <http://www.legacy.library.ucsf.edu/tid/rxf06a99>
- 84) British American Tobacco Company Limited: Product Seminar, Hilton National Hotel, Southampton, 9<sup>th</sup> -11<sup>th</sup> July 1997. Bated: 760076123-760076306. Available at: <http://legacy.library.ucsf.edu/tid/cxj55a99>
- 85) Brown & Williamson Tobacco Corporation. American Spirit Cigarettes/324, 1994, Bates: 403001292. Available at: <http://www.legacy.library.ucsf.edu/tid/cjr51f00>
- 86) Brown & Williamson Tobacco Corporation. Composition of casing material: Cocoa, its constituents, and their organoleptic properties. 1978. Bates: 566613142/3177. Available at: <http://legacy.library.ucsf.edu/tid/wfk51f00>
- 87) Browne CL. 1990, The design of cigarettes. Hoechst Celanese, Charlotte, NC. Bates: 2060442066/2186. Available at: <http://legacy.library.ucsf.edu/tid/sea55d00/pdf>
- 88) Burns DM. 1992. Assessing changes in topography (inhalation profile) and biological effects of tobacco smoke in humans. Available at: <http://legacy.library.ucsf.edu/tid/pok90a00/pdf>

- 89) Cigarette filter for the administration of taurine by inhalation. European Patent EP0591048, publication 1999. Available at:  
<http://www.freepatentsonline.com/EP0591048.pdf>
- 90) Frank DM. Cigarettes with Recognizable Flavors : A State of the Art Review, Project No. 220, Brown & Williamson, Bates: 621636359/372. Available at:  
<http://legacy.library.ucsf.edu/tid/bfw60f00/pdf>
- 91) Hayes AW, Jennings RA, Morgan WT, Reynolds JH, Walker JC "Effect of Chemical Stimulant Concentration on the Perception of Draw". RJ Reynolds. 09 Apr1991. Bates: 508277453-508277466. Available at:  
[http://tobaccodocuments.org/product\\_design/508277453-7466.html](http://tobaccodocuments.org/product_design/508277453-7466.html)
- 92) Jennings RA, Morgan WT, Walker JC, "Effect of a Chemical Stimulant on the Perception of Draw: A Pilot Study," RJ Reynolds. 08 Feb 1991. Bates: 508258180-508258191. Available at:  
[http://tobaccodocuments.org/product\\_design/508258180-8191.html](http://tobaccodocuments.org/product_design/508258180-8191.html)
- 93) Kapular & Associates, Smokers reaction to a flavored cigarette concept- A qualitative study-. Jan 1984. Brown & Williamson. Bates No. 679235846-679235893. Available at:  
[http://tobaccodocuments.org/product\\_design/11924518.html](http://tobaccodocuments.org/product_design/11924518.html)
- 94) Lawson JL and Toben TP, "New Business Research and Development Report. Low Level Menthol Opportunity Analysis." RJ Reynolds. 24 Nov 1986. 1986, Bates: 505930469-505930487. Available at:  
<http://tobaccodocuments.org/rjr/505930469-0487.html>
- 95) Marketing Innovations, Inc. (memo to Brown & Williamson regarding ideas for a "youth" cigarette), 1972, Bates: 170042014. Available at:  
<http://legacy.library.ucsf.edu/tid/ons56b00>
- 96) Philip Morris. Qualitative Research on Menthol / Nonmenthol Smokers. 26 Sep 1991. Bates: 2057096413-2057096532. Available at:  
<http://tobaccodocuments.org/ahf/2057096413-6532.html>
- 97) Philip Morris. Analogs. 1989. Available at:  
[http://tobaccodocuments.org/product\\_design/2057768755-8756.html](http://tobaccodocuments.org/product_design/2057768755-8756.html)
- 98) Philip Morris. "New Flavors Qualitative Research Insights 921000." 1992. Bates: 2023163698-2023163710. Available at:  
<http://www.legacy.library.ucsf.edu/tid/wzj48e00>
- 99) Philip Morris. 1994. Ingredients added to tobacco in the manufacture of cigarettes by the six major American cigarette companies. Bates: 202301127411322, Available at:

<http://legacy.library.ucsf.edu/tid/pqy74e00>

- 100) Potter DL. No Additives Cigarette, RJR Interoffice Memo, 1989, Bates: 507020001/0002. Available at:  
<http://www.legacy.library.ucsf.edu/tid/ypr34d00>
- 101) R.J. Reynolds Tobacco Company (“secret” stamped document – Results from MDM Committee Meeting August 13, 1985), 1985, Bates: 504625322/5327. Available at:  
<http://www.legacy.library.ucsf.edu/tid/ane65d00>
- 102) R.J. Reynolds Tobacco Company (letter from R.L. Willard), 1985, Bates: 504978310-8310. Available at:  
<http://www.legacy.library.ucsf.edu/tid/jhq35d00>
- 103) R.J. Reynolds Tobacco Company. Natural American Spirit – Update, 1995, Bates: 520581813/1817. Available at:  
<http://www.legacy.library.ucsf.edu/tid/ixk66d00>
- 104) R.J. Reynolds Tobacco Company. (Marketing report: Leber Katz Partners.) “Green” Marketing Research and Findings. 3 Jun. 1992, Bates: 512284504-/4535. Available at: <http://tobaccodocuments.org/rjr/512284504-4535.html>
- 105) R.J. Reynolds Tobacco Company. Beta-Carotene Study Group Opportunity, 1992, Bates: 508698033. Available at:  
<http://legacy.library.ucsf.edu/tid/abb93d00>
- 106) Teague CE (1973). Research Planning Memorandum on Some Thoughts about a New Brand of Cigarettes for the Youth Market. RJR Tobacco Company. February 2, 1973. Bates No.: 505101981 -1992. Available at:  
[http://tobaccodocuments.org/product\\_design/505101981-1992.html](http://tobaccodocuments.org/product_design/505101981-1992.html)
- 107) Wells, JK, III. Subject: Technology Handbook. 22 Aug 1995. Brown & Williamson. Bates: 505500002. Available at:  
[http://tobaccodocuments.org/product\\_design/945335.html](http://tobaccodocuments.org/product_design/945335.html)
- 108) Whitehead-P. Visual and Sensory Cues in the Control of Smoking Behaviour. P Whitehead Paper 5. RJR Tobacco Company. 1994. Bates: 505303428-505303444. Available at: [http://tobaccodocuments.org/product\\_design/944669.html](http://tobaccodocuments.org/product_design/944669.html)